

ReadMe - V_meadow_ground_cover_experimental

Dataset responsible: Kari Anne Bråthen and Hanna Böhner
(kari.brathen@uit.no, hanna.bohner@uit.no)

22.01.2021

1 Protocol

Ground cover in all herbivore and large herbivore exlosures as well as control plots has been assessed following the COAT protocol 'protocol_plant_measurements_heath_and_meadow_varanger'.

Large herbivore exlosures were set up and sampled for the first time in 2018. All herbivore exlosures were set up and sampled for the first time in 2019.

2 Description of the dataset

The dataset includes three different types of files and all files are saved as ;-separated txt-files:

- One data file per year (`_YEAR.txt`)
- One coordinate file with coordinates of all sites (`_coordinates.txt`)
- One auxiliary file with information about which sites are included in the study design (`_aux.txt`)

2.1 V_meadow_ground_cover_experimental_YEAR.txt

These files contain ground cover of the following categories:

```
[1] "Acrocarp moss"           "Pleurocarp moss"  
[3] "Small rodent activity"   "Soil or stone"  
[5] "Sphagnum"               "Standing dead crop or litter"  
[7] "Lichen"
```

Example of the first rows of the data files:

```

sn_region      sn_locality      sn_section  sc_type_of_sites_ecological
1  varanger  vestre_jakobselv  bearalveaijohka      meadow
2  varanger  vestre_jakobselv  bearalveaijohka      meadow
3  varanger  vestre_jakobselv  bearalveaijohka      meadow
  sn_site      sc_plot_treatment  sn_plot  t_year      t_date  v_observer
1  vj_be_m_a    all_herbivore_exclosure  1  2018      <NA>    <NA>
2  vj_be_m_a    control            1  2018  2018-07-24      jr
3  vj_be_m_a    large_herbivore_exclosure  1  2018  2018-07-24      kel
  v_number_of_pins  v_functional_group  v_abundance
1      NA      acrocarp_moss      NA
2      3      acrocarp_moss      0
3      3      acrocarp_moss      0
  v_comment
1 all_herbivore_exclosures started in 2019
2      <NA>
3      <NA>

```

Description of the columns included in the data files:

Column name	Description	Possible values
sn_region	Study region	varanger
sn_locality	Locality (within region)	vestre_jakobselv
sn_section	Section (within locality)	bearalveaijohka, torvhaugdalen
sc_type_of_sites_ecological	Habitat type	meadow
sn_site	Unique Site ID	e.g. vj_be_m_a, vj_be_m_e, NA, NA
sc_plot_treatment	Plot treatment	all_herbivore_exclosure, control, large_herbivore_exclosure
sn_plot	Point frequency plot	1-16
t_year	Sampling year	e.g. 2019
t_date	Sampling date	YYYY-MM-DD
v_observer	Initials of observer	e.g. kab (Kari Anne Bråthen)
v_number_of_pins	Number of pins per PF plot	NA, 3, 24
v_functional_group	Ground cover category	acrocarp_moss, pleurocarp_moss, small_rodent_activity, soil_or_stone, sphagnum, standing_dead_crop_or_litter, lichen
v_abundance	Number of pins with presence of e.g. Dicranum sp.	[numeric]
v_comment	Comments	[character]

2.2 V_meadow_ground_cover_experimental_coordinates.txt

This file contains the coordinates of all sites included in the study design. Coordinates are given in decimal degrees and UTM 33 (WGS 84).

Example of the first rows of coordinate files:

```
sn_site      e_dd      n_dd e_utm33 n_utm33
1 vj_to_m_a  29.06932  70.31760 1024739 7862330
2 vj_to_m_b  29.07217  70.31538 1024901 7862113
3 vj_to_m_c  29.08576  70.30800 1025589 7861427
```

2.3 V_meadow_ground_cover_experimental_aux.txt

This file contains further information about the dataset such as the years when sites were first included in the study design and when sites were excluded from the study design.

Example of the first rows of auxiliary-files:

```
sn_region      sn_locality      sn_section      sn_site
1 varanger     vestre_jakobselv bearalveaijohka vj_be_m_a
2 varanger     vestre_jakobselv bearalveaijohka vj_be_m_a
3 varanger     vestre_jakobselv bearalveaijohka vj_be_m_a
      sc_plot_treatment year_first year_last v_comment
1                control      2018      NA      NA
2 large_herbivore_exclosure      2018      NA      NA
3 all_herbivore_exclosure      2019      NA      NA
```

* year_last is NA if the site is still included in the study design

3 Data cleaning and formatting

Rawdata is cleaned and formatted in three steps:

1. Data cleaning: All rawdata files entered in excel-templates are cleaned and saved as txt-files using the scripts `01_check_and_reformat_point_frequency_fieldsheets_all_herbivore_exclosures.R`, `01_check_and_reformat_point_frequency_fieldsheets_large_herbivore_exclosures.R` and `01_check_and_reformat_point_frequency_fieldsheets_observational.R`. The scripts check for correct spelling, correct format, outliers and missing observations, adds other necessary columns (e.g. region, locality and habitat) and saves the data as txt-files. Each file is processed separately and possible mistakes are corrected in the scripts.

In particular the scripts check for:

- **sn_site:** Correct spelling of all site names and missing observation. Missing observations will be included with NA for abundance.
- **t_date:** Correct format (yyyy-mm-dd), dates in other formats are reformatted.
- **v_observer:** Correct format (initials and lowercase letters), observer is reformatted e.g. if full names were used.

- **Species and functional group names:** Correct spelling, all species names will be converted to abbreviations (e.g. *vac_myr*).
- **v_abundance:** Outliers in abundance, 'x' will be replaced with 0.1, empty cells will be filled with 0 and weird entries (e.g. if there was a problem with the keyboard) will be corrected.
- **v_comment:** Correct spelling and format (lowercase letters and english). Comments are edited or translated if necessary.
- The columns **sn_region**, **sn_locality**, **sn_section**, **t_year** and **t_season** are added.

A comment is added if corrections go beyond simple typing mistakes and lead to differences between rawdata and cleaned data.

2. Data formatting: All cleaned files are compiled and formatted using the script `02_make_datafiles_from_point_frequency_experimental.R`. The script formats the data according to the requirements of the COAT dataprotal and produces one file for each dataset derived from observational plant measurements in heath and meadow sites:

- **V_meadow_vascular_plant_abundance_experimental_YEAR.txt**
(point intercepts on functional group level in meadow sites)
- **V_meadow_plant_species_composition_experimental_YEAR.txt**
(presence and abundance data of all vascular plant species in meadow sites)
- **V_meadow_ground_cover_experimental_YEAR.txt**
(abundance of for example Litter, Mosses, Lichen and small rodent activity in meadow sites)
- **V_meadow_shrub_height_experimental_YEAR.txt**
(height of thicket forming *Salix sp.* and *Betula nana* in meadow sites)
- **V_heath_vascular_plant_abundance_experimental_YEAR.txt**
(point intercepts on functional group level in heath sites)
- **V_heath_plant_species_composition_experimental_YEAR.txt**
(presence and abundance data of all vascular plant species in heath sites)
- **V_heath_ground_cover_experimental_YEAR.txt**
(abundance of for example Litter, Mosses, Lichen and small rodent activity in heath sites)
- **V_heath_shrub_height_experimental_YEAR.txt**
(height of thicket forming *Salix sp.* and *Betula nana* in heath sites)

3. Quality check: A final quality check is performed on each dataset. All variables are checked and observations are plotted together with the years before.