ReadMe - V_snowbed_plant_species_composition_experimental

Dataset responsible: Eeva Soininen (eeva.soininen@uit.no)

02.02.2021

1 Protocol

Plant species composition in all herbivore and large herbivore exlosures as well as control plots has been assessed following the COAT protocol

'protocol_plant_measurements_snowbed_experiment_varanger.'

2 Description of the dataset

The dataset includes three different types of files and all files are saved as ;-separated txt-files:

- One data file per year (_YEAR.txt)
- One coordinate file with coordinates of all sites (_coordinates.txt)
- One auxiliary file with information about which sites are included in the study design (_aux.txt)

2.1 V_snowbed_plant_species_composition_experimental_YEAR.txt

These files contain presence/absence data of all vascular plant species. In addition, abundance data is included if available. Difficult species were registered on genus level. A species list and more information about how species data was recorded can be found in the protocol.

Example of the first rows of the data files:

```
sn_locality
                                  sn_section sc_type_of_sites_ecological
1 varanger vestre_jakobselv bearalveaijohka
                                                                  snowbed
  varanger vestre jakobselv bearalveaijohka
                                                                  snowbed
  varanger vestre_jakobselv bearalveaijohka
                                                                  snowbed
                   sc_plot_treatment t_year
                                                t_date v_observer
1 vj_be_sn_1 all_herbivore_exclosure
                                       2019 2019-08-06
2 vj_be_sn_1 all_herbivore_exclosure
                                       2019 2019-08-06
3 vj_be_sn_1 all_herbivore_exclosure
                                       2019 2019-08-06
                                                               hb
  v_number_of_pins v_species v_plant_part v_abundance v_presence v_comment
                     agr_mer reproductive
1
                                                    0
                                                                0
                                                                       <NA>
2
                25
                     agr_mer
                               vegetative
                                                    0
                                                                0
                                                                       <NA>
3
                     alc_alp reproductive
                                                    0
                                                                       <NA>
```

Description of the columns included in the data files:

Column name	Description	Possible values
sn_region	Study region	varanger
$sn_locality$	Locality (within region)	$vestre_jakobselv$
sn_section	Section (within locality)	bearalveaijohka, gaasevannan, torvhaugdalen, tranemyra
$sc_type_of_sites_ecological$	Habitat type	snowbed
sn_site	Unique Site ID	e.g. vj_be_sn_1, vj_be_sn_17, vj_to_sn_14, vj_to_sn_6
$sc_plot_treatment$	Plot treatment	all_herbivore_exclosure, control, large_herbivore_exclosure
t_year	Sampling year	e.g. 2019
t_date	Sampling date	YYYY-MM-DD
$v_observer$	Initials of observer	e.g. kab (Kari Anne Bråthen)
$v_number_of_pins$	Number of pins per PF plot	25, NA
$v_species$	Species or genus (Abbreviations)	e.g. bis_viv, car_sp
v_plant_part	Plant part	reproductive, vegetative, wood
$v_abundance$	Number of point intercepts	[numeric]
v _presence	Presence (1) or absence (0)	0, 1
v_comment	Comments	[character]

2.2 V_snowbed_plant_species_composition_experimental_coordinates.txt

This file contains the coordinates of all sites included in the study desgin. Coordinates are given in decimal degrees and UTM 33 (WGS 84).

Example of the first rows of coordinate files:

```
sn_site    e_dd    n_dd e_utm33 n_utm33
1    vj_to_sn_3 29.11003 70.29710 1026762 7860451
2    vj_to_sn_6 29.08956 70.30502 1025806 7861136
3    vj_to_sn_13 29.07985 70.31023 1025315 7861619
```

2.3 V snowbed plant species composition experimental aux.txt

This file contains further information about the dataset such as the years when sites were first included in the study design and when sites were excluded from the study design.

Example of the first rows of auxiliary-files:

```
sn_locality
  sn region
                                   sn_section
                                                 sn site
  varanger vestre jakobselv bearalveaijohka vj be sn 1
  varanger vestre jakobselv bearalveaijohka vj be sn 1
  varanger vestre jakobselv bearalveaijohka vj be sn 1
          sc_plot_treatment year_first year_last v_comment
                                   2019
                                                         NA
                    control
                                               NΑ
2 large_herbivore_exclosure
                                   2019
                                               NA
                                                         NA
   all_herbivore_exclosure
                                   2019
                                               NA
                                                         NA
```

3 Data cleaning and formatting

Rawdata is cleaned and formatted in three steps:

1. Data cleaning: All rawdata files entered in excel-templates are cleaned and saved as txt-files using the script 01_reformat_PF_rawdata_from_pads_snowbeds.R . The script checks for correct spelling, correct format, outliers and missing observations, adds other necessary columns (e.g. region, locality and habitat) and saves the data as txt-files. Each file is processed separately and possible mistakes are corrected in the script.

In particular the script checks for:

- sn_site: Correct spelling of all site names and missing observation. Missing observations will be included with NA for abundance.
- t_date: Correct format (yyyy-mm-dd), dates in other formats are reformatted.
- v_observer: Correct format (initials and lowercase letters), observer is reformatted e.g. if full names were used.
- Species and functional group names: Correct spelling, all species names will be converted to abbreviations (e.g. vac myr).
- **v_abundance:** Outliers in abundance, 'x' will be replaced with 0.1, empty cells will be filled with 0 and weird entries (e.g. if there was a problem with the keybaord) will be corrected.
- **v_comment:** Correct spelling and format (lowercase letters and english). Comments are edited or translated if necessary.
- The columns sn_region, sn_locality, sn_section, t_year and t_season are added.

A comment is added if corrections go beyond simple typing mistakes and lead to differences between rawdata and cleaned data.

^{*} year last is NA if the site is still included in the study design

- 2. Data formatting: All cleaned files are compiled and formatted using the script 02_make_formated_PF_files_for_dataportal_snowbeds.R . The script formats the data according to the requirements of the COAT dataprotal and produces one file for each dataset derived from observational plant measurements in heath and meadow sites:
 - V_snowbed_vascular_plant_abundance_experimental_YEAR.txt (point intercepts on functional group level)
 - V_snowbed_plant_species_composition_experimental_YEAR.txt (presence and abundance data of all vascular plant species)
 - V_snowbed_ground_cover_experimental_YEAR.txt (abundance of for example Litter, Mosses, Lichen and small rodent activity)
 - V_snowbed_shrub_height_experimental_YEAR.txt (height of all shrubs except *Salix herbacea*)
- **3.** Quality check: A final quality check is performed on each dataset. All variables are checked and observations are plotted together with the years before.